Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9155	118/715-733.ccls. 156/345.52.ccls.	USPAT	OR	OFF	2006/07/31 07:33
L2	5	1 and ceramic adj susceptor.ab,clm.	USPAT	OR	OFF	2006/07/31 07:35
L3	0	1 and electric adj lines near shorting	USPAT	OR	OFF	2006/07/31 09:39
L4	129	1 and shorting	USPAT	OR	OFF	2006/07/31 08:12
L5	0	1 and inter-wiring adj line adj separation\$2 with resistive adj heating	USPAT	OR	OFF	2006/07/31 08:13
L6	324	1 and resistive adj heating	USPAT	OR	OFF	2006/07/31 08:14
L7	0	6 and line near separation\$4	USPAT	OR	OFF	2006/07/31 08:14
L8	. 0	6 and bottom near lateral adj sides	USPAT	OR	OFF	2006/07/31 08:15
L9	19	6 and ceramic near heater	USPAT	OR	OFF	2006/07/31 08:23
L10	1	"2604944".pn.	USPAT	OR	OFF	2006/07/31 08:24
L11	5	"1870230".pn. "1950476".pn. "2160152".pn. "2224764".pn. "2340801".pn.	USPAT	OR	OFF	2006/07/31 08:28
L12	42	(Yoshifumi near kachi) (Akira near Kulbira) (Hirohiko near Nakata)	USPAT	OR	OFF	2006/07/31 08:29
L13	154	(Yoshifumi near kachi) (Akira near Kulbira) (Hirohiko near Nakata)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 08:30
L14	31	13 and resistive near2 heating	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 09:07
L15	1	13 and line\$2 near separation\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/07/31 09:01
L16	1	13 and bottom near lateral near side\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 09:02

L17	0	"219"?4.ccls. and resistive near2 heating	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 09:07
L18	1966	"219"/\$.ccls. and resistive near2 heating	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 09:08
L19	6	18 and line\$2 near separation\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 09:11
L20	0	18 and bottom near lateral near sides	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 09:11
L21	11	18 and ceramic adj susceptor .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 09:36
L23	4116	(sumitomo and electric and industries and ltd).as.	USPAT	OR	OFF	2006/07/31 09:39
L24	717	23 and resist\$4 near heat\$3	USPAT	OR	OFF	2006/07/31 09:40
L25	0	24 and line near2 separation\$4	USPAT	OR	OFF	2006/07/31 09:40
L26	2	24 and ceramic adj susceptor	USPAT	OR	OFF	2006/07/31 09:43
L27	5	24 and plasma near electrode	USPAT	OR	OFF	2006/07/31 09:43

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9155	118/715-733.ccls. 156/345.52.ccls.	USPAT	OR	OFF	2006/07/31 07:33
L2	5	1 and ceramic adj susceptor.ab,clm.	USPAT	OR	OFF	2006/07/31 07:35
L3	0	1 and electric adj lines near shorting	USPAT	OR	OFF	2006/07/31 09:39
L4	129	1 and shorting	USPAT	OR	OFF	2006/07/31 08:12
L5	0	1 and inter-wiring adj line adj separation\$2 with resistive adj heating	USPAT	OR	OFF	2006/07/31 08:13
L6	324	1 and resistive adj heating	USPAT	OR ·	OFF	2006/07/31 08:14
L7	0	6 and line near separation\$4	USPAT	OR	OFF	2006/07/31 08:14
L8	0	6 and bottom near lateral adj sides	USPAT	OR	OFF	2006/07/31 08:15
L9	19	6 and ceramic near heater	USPAT	OR	OFF	2006/07/31 08:23
L10	1	"2604944".pn.	USPAT	OR	OFF	2006/07/31 08:24
L11	5	"1870230".pn. "1950476".pn. "2160152".pn. "2224764".pn. "2340801".pn.	USPAT	OR	OFF	2006/07/31 08:28
L12	42	(Yoshifumi near kachi) (Akira near Kulbira) (Hirohiko near Nakata)	USPAT	OR	OFF	2006/07/31 08:29
L13	154	(Yoshifumi near kachi) (Akira near Kulbira) (Hirohiko near Nakata)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 08:30
L14	31	13 and resistive near2 heating	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 09:07
L15	1	13 and line\$2 near separation\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ,	2006/07/31 09:01
L16	1	13 and bottom near lateral near side\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 09:02

		LAST Scarci	,			
L17	. 0	"219"?4.ccls. and resistive near2 heating	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 09:07
L18	1966	"219"/\$.ccls. and resistive near2 heating	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 09:08
L19	6	18 and line\$2 near separation\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 09:11
L20	0	18 and bottom near lateral near sides	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 09:11
L21	11	18 and ceramic adj susceptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 09:36
L23	4116	(sumitomo and electric and industries and ltd).as.	USPAT	OR	OFF	2006/07/31 09:39
L24	717	23 and resist\$4 near heat\$3	USPAT	OR	OFF	2006/07/31 09:40
L25	0	24 and line near2 separation\$4	USPAT	OR	OFF	2006/07/31 09:40
L26	2	24 and ceramic adj susceptor	USPAT	OR	OFF	2006/07/31 09:43
L27	5	24 and plasma near electrode	USPAT	OR	OFF	2006/07/31 10:03
L28	0	118/725.ccls and heating near2 element\$2	USPAT	OR	OFF	2006/07/31 10:04
L29	883	1 and heating near element	USPAT	OR	OFF	2006/07/31 10:04
L30	340	118/725.ccls. and heating near element	USPAT	OR	OFF	2006/07/31 10:05
L31	13	30 and ceramic near susceptor	USPAT	OR	OFF	2006/07/31 10:17
L32	2432	resistive near heating near element	USPAT	OR	OFF	2006/07/31 10:17
L33	4	32 and ceramic near susceptor	USPAT	OR	OFF	2006/07/31 10:19
L34	120	32 and shorting	USPAT	OR	OFF	2006/07/31 10:19

L35	0	34 and angel near between near wiring	USPAT	OR	OFF	2006/07/31 10:20
L36	0	34 and line near separation same gap	USPAT	OR	OFF	2006/07/31 10:20
L37	0	34 and line near separation	USPAT	OR	OFF	2006/07/31 10:21
L38	120	34	USPAT	OR	OFF	2006/07/31 10:21